



Specification

1.02781.1000 2-Propanol hypergrade for LC-MS LiChrosolv®

	Specification	
Purity (GC)	≥ 99.9	%
Identity (IR)	conforms	
Evaporation residue	≤ 2.0	mg/l
Color	≤ 10	Hazen
Water	≤ 0.05	%
Acidity	≤ 0.0002	meq/g
Alkalinity	≤ 0.0002	meq/g
Gradient grade (at 235 nm)	≤ 1.0	mAU
Gradient grade (at 254 nm)	≤ 1.0	mAU
Fluorescence (as quinine at 254 nm)	≤ 1.0	ppb
Fluorescence (as quinine at 365 nm)	≤ 0.5	ppb
Transmission (Checking after purging with N ₂ at 220 nm)	≥ 80	%
Transmission (Checking after purging with N ₂ at 230 nm)	≥ 90	%
Transmission (Checking after purging with N ₂ from 250 nm)	≥ 99	%
Al (Aluminium)	≤ 10	ppb
Ca (Calcium)	≤ 10	ppb
Fe (Iron)	≤ 10	ppb
K (Potassium)	≤ 5	ppb
Mg (Magnesium)	≤ 10	ppb
Na (Sodium)	≤ 150	ppb
Any further metal (ICP-MS)	≤ 5	ppb
Suitable for LC-MS; Intensity of background mass peak based on reserpine (APCI/ESI positive)	≤ 10	ppb
Suitable for LC-MS; Intensity of background mass peak based on reserpine (APCI/ESI negative)	≤ 20	ppb

Filtered by 0.2 µm filter.

Jeannette David
Responsible laboratory manager quality control

This document has been produced electronically and is valid without a signature.